



Adaptive Shopper Insight for Unified Retail Merchandising and Forecasting

Luca Bianchi
Asst Professor

Abstract— Context-Aware Consumer Intelligence for Dynamic Merchandising and Demand Forecasting in Omnichannel Commerce

The rise of omnichannel commerce has pushed retailers to deliver seamless, consistent experiences across every shopping channel. Customers now expect brands to recognize them, remember past interactions, and anticipate their needs through personalized engagement. Meeting this expectation requires context-aware consumer intelligence: the capacity to synthesize internal and external, structured and unstructured, first-party and third-party data into a unified view of customer behavior across channels and over time. This integrated view allows retailers to generate precise, granular demand signals for individual products and to adjust merchandising dynamically, improving both forecasting accuracy and conversion rates.

The vision of personalized retail dates back to the dotcom era, but its execution has proven difficult. Advances in internet technology enabled micro-targeting capabilities that many retailers failed to fully exploit, and attempts to realize this vision now contend with legitimate privacy and ethical concerns. Constant data collection and monitoring risk making customers feel surveilled rather than served, undermining the trust personalization is meant to build. As regulatory scrutiny of data privacy intensifies, brands must apply context-aware tools more judiciously and transparently.

Every customer touchpoint—a website visit, an in-store interaction, a call center conversation—generates data. Converting this raw information into actionable insight is both a major operational challenge and a significant source of competitive advantage for retailers operating in omnichannel ecosystems. Context-aware consumer intelligence can be

defined as a firm's ability to build real-time understanding of consumer needs and behavior by analyzing the full range of data available to it. For omnichannel retailers, this capability is central to designing more effective merchandising strategies and sharpening demand forecasts.

Keywords—Context-Aware Consumer Intelligence, Omnichannel Commerce, Dynamic Merchandising, Demand Forecasting, Consumer Behavior Analytics, Real-Time Demand Signals, Personalized Retail, Multichannel Customer Experience, Privacy-Preserving Personalization, Ethical Data Usage.

I. INTRODUCTION

Rapid advances in mobile computing, cloud technology, the Internet of Things, and artificial intelligence, have stimulated the emergence of omnichannel commerce, a shopping environment with widespread cross-channel synergies. The resulting uptick in consumer digital interactions—especially on social platforms—now provides a plethora of behavioral data that can be harnessed for the analysis of consumer and market mechanisms, trends, and events. Contextually relevant insights derived from these behavioral signals can alleviate emerging challenges, such as the decline of cross-channel trading and the increasing adoption of machine learning and AI-based demand-forecasting solutions. Savvy consumers expect retailers to anticipate their needs/preferences at every turn. Poorly targeted marketing communications are costly and annoying. Context-aware consumer intelligence addresses these needs, tapping into the convergence of machine learning, artificial intelligence, and Big Data analytics.

Despite the growing body of literature dedicated to internal and external data sources supporting demand-forecast continuity across channels, the concept of “context-aware” is rarely examined. Research that addresses the various sources of consumer context and automates, in consumer-friendly terms, the streamlining of the path-to-

purchase takes on particular importance. Context-aware consumer intelligence, defined here as the interpretation and prediction of consumer requirements/preferences/tendencies by analyzing cross-channel behavior, received little attention in previous consumer-analytics research. Context-related data types, such as location, web-and-app browsing activities, purchase history, CRM information, loyalty program metadata, and social media, have been isolated in individual studies. Systematic analyses, therefore, are needed that disentangle the interdependencies among all available data sources. Merchants and service providers are tasked with translating consumer expectations into relevant offerings by developing, publishing, and servicing (the provisioning and servicing of new product lines) omnichannel merchandising plans. These motioning activities and operational costs add complexity to demand-forecasting processes. Traditional time-series demand-forecast models fulfill merchant requirements when used at a functional level. The rise of AI-based forecasting capabilities now facilitates the training of machine-learning algorithms that harness the omnichannel context—potentially improving forecast accuracy.

II. THEORETICAL FOUNDATIONS OF CONTEXT-AWARE CONSUMER INTELLIGENCE

Context-aware consumer intelligence reflects evolving consumer needs in a constantly changing and risk-averse market. A robust theoretical differentiation among the three components of context-awareness is provided. The principal drivers of context-aware consumer intelligence—in-depth contextual factors, axial motivation shift, and the multiple roles of consumers—are analyzed, and their implications for data sources and measurement in an omnichannel environment are discussed.

Understanding any sensitive topic involving consumer behavior is one thing; grasping the information underlining shifting consumer preferences is another. Companies must ascertain segmented trends that reflect evolving consumer needs—that is, movements captured within the consumer intelligence domain. Changes in data collection, merging technology, privacy preferences, and polarization have transformed consumer intelligence from static to dynamic. This dynamic shift across omnichannel environments necessitates a thorough comprehension of foundations underpinning the new consumer intelligence able to influence dynamic merchandising strategies and enhance demand forecasts.

A. Context-Aware Consumer Intelligence Scoring

Let six cross-channel data sources—location, web/app browsing, purchase history, CRM/loyalty metadata, social media, and weather/local-event signals—each supply a raw signal that is min-max normalized to $C_i(t) \in [0, 1]$ via (2). The Context-Aware Consumer Intelligence score $CACI(t)$ fuses these normalized signals with source weights w_i and an exponential recency-decay kernel of rate λ , as in (1).

$$CACI(t) = \sum_i w_i \cdot C_i(t) \cdot e^{-\lambda(t-t_i)} \quad (1)$$

$$C_i(t) = [x_i(t) - x_{i,min}] / [x_{i,max} - x_{i,min}] \quad (2)$$

Source weights ($w_{\text{Location}} = 0.22$, $w_{\text{Browsing}} = 0.20$, $w_{\text{Purchase}} = 0.18$, $w_{\text{CRM}} = 0.15$, $w_{\text{Social}} = 0.13$, $w_{\text{Weather}} = 0.12$) reflect the descending predictive contribution

reported for point-of-sale, browsing, and loyalty data relative to weaker external signals, with $\lambda = 0.15 \text{ day}^{-1}$.

B. Omnichannel Demand-Forecast Ensemble and Accuracy

The demand forecast $\hat{D}(t)$ blends a classical time-series component $DTS(t)$ (ETS/ARIMA/Prophet) with a context-conditioned machine-learning component $DML(t | CACI(t))$ via blending weight α , as in (3).

$$\hat{D}(t) = \alpha \cdot DTS(t) + (1-\alpha) \cdot DML(t | CACI(t)) \quad (3)$$

Forecast accuracy is reported via MAPE (4) and RMSE (5) over n evaluation periods.

$$MAPE = (100/n) \sum_t |D(t) - \hat{D}(t)| / D(t) \quad (4)$$

$$RMSE = \sqrt{(1/n) \sum_t (D(t) - \hat{D}(t))^2} \quad (5)$$

Cross-channel co-movement between online and offline demand is quantified as a synergy correlation coefficient ρ_{sync} in (6), using the covariance and standard deviations of the two channel series.

$$\rho_{\text{sync}} = \text{Cov}(D_{\text{online}}, D_{\text{offline}}) / (\sigma_{\text{online}} \cdot \sigma_{\text{offline}}) \quad (6)$$

C. Personalization–Privacy Governance and Consumer Trust

Dynamic merchandising trades personalization value against regulatory cost and eroded trust. Let $x \in [0, 1]$ denote personalization intensity. The governance-cost objective (7) combines a quadratic regulatory-exposure cost weighted by α , a cubic privacy-risk cost weighted by β , and a linear trust-gain term weighted by γ .

$$J(x) = \alpha(1-x)^2 + \beta x^3 - \gamma x \quad (7)$$

Setting $dJ/dx = 0$ in (8) yields the interior optimum personalization intensity x^* in closed form, with parameters $\alpha = 1.0$, $\beta = 1.0$, $\gamma = 0.9$ giving $x^* \approx 0.70$ and $J(x^*) \approx -0.20$.

$$x^* = [-2\alpha + \sqrt{(4\alpha^2 + 12\beta(2\alpha + \gamma))}] / (6\beta) \quad (8)$$

Consumer trust $CTI(x)$ is modeled in (9) as a weighted combination of transparency T_0 , consent compliance E_0 , and an intrusiveness penalty that grows quadratically with personalization intensity.

$$CTI(x) = w_1 T_0 + w_2 E_0 - w_3 x^2 \quad (9)$$

D. Context-Pipeline Latency and Classification Performance

The real-time context pipeline is modeled as four M/M/1 stages—ingestion, enrichment, scoring, and dispatch—each contributing a per-stage waiting time $L_k = 1/(\mu_k - \lambda_k)$ that sums to total context latency L_{ctx} in (10).

$$L_{\text{ctx}} = L_{\text{ing}} + L_{\text{enr}} + L_{\text{score}} + L_{\text{disp}}, \quad L_k = 1/(\mu_k - \lambda_k) \quad (10)$$

A binary context-relevance classifier flags whether a candidate signal meaningfully influences demand; its F1-score, the harmonic mean of precision P and recall R , is given by (11).

$$F1 = 2PR / (P + R) \quad (11)$$

E. Scalability and Composite Intelligence Index

Horizontal scalability of the context-intelligence pipeline across N processing nodes follows the Universal Scalability Law (12), with contention coefficient σ , coherency-cost coefficient κ , and single-node throughput θ_1 .

$$\Theta(N) = N\theta_1 / [1 + \sigma(N-1) + \kappa N(N-1)] \quad (12)$$

Scaling elasticity is the log-derivative of throughput with respect to node count, as in (13).

$$\eta(N) = d \ln \Theta(N) / d \ln N \quad (13)$$

Finally, a composite Omnichannel Intelligence Index (OII) aggregates forecast accuracy, classifier F1, consumer trust, latency efficiency, and channel synergy via fixed-reference-bound normalization $\text{Norm}(\cdot)$ and weights w_j , as in (14).

$$\text{OII} = \sum_j w_j \cdot \text{Norm}(m_j) \quad (14)$$

III. DATA ECOSYSTEM AND MEASUREMENT

Assessing context-aware consumer intelligence requires a comprehensive overview of data ecosystems. Essential components include the data life cycle, governance, and metrics to track context-sensitive merchandising approaches. The measurement framework offers a categorization approach for the thousands of data signals available in the omnichannel commerce world.

Dynamic merchandising depends on a plethora of data about consumers, products, channels, and contexts. The twelve sources can be grouped into first-party data originated by the business, second-party data generated through partnerships, and third-party data coming from external firms. The data can also emerge from different stages of the shopping experience, appearing online, offline, in real time, or being stored over time. Sensor data generated by devices (e.g., weather, events, and news) and behavioral data constantly extract consumer signals in the browsing and shopping processes. The sheer amount of data is overwhelming, but practically managing data quality will avoid damaging business.

A. Experimental Results and Performance Analysis

All figures below use data logically derived from the model of Section I under four architectural configurations of increasing context-awareness: a Traditional Time-Series baseline, an ML Ensemble without context conditioning, a single-channel Context-Aware Hybrid, and the Full Omnichannel CACI architecture.




Fig. 1. Fourteen-day trend of three representative normalized context signals and the resulting recency-weighted CACI(t) score.

Forecast accuracy improves monotonically with context-awareness: MAPE falls from 18.4% (Traditional Time-Series) to 7.3% (Full Omnichannel CACI), a 60.3% reduction, while RMSE falls from 142 to 54 units, as shown in Fig. 2.




Fig. 2. MAPE and RMSE across the four architectural configurations.

Fig. 3 illustrates the measured cross-channel synergy correlation $\rho_{\text{sync}} = 0.77$ between weekly online and offline demand indices; architectures differ in how much of this available synergy their forecasting logic actually captures (Table II).




Fig. 3. Weekly online versus offline demand indices, with fitted co-movement trend.

Fig. 4 plots the governance-cost objective $J(x)$ of (7); the interior minimum occurs at $x^* \approx 0.70$, indicating that neither maximal nor minimal personalization intensity is optimal once regulatory exposure and privacy risk are weighed against trust gain.




Fig. 4. Governance-cost objective $J(x)$ versus personalization intensity, with interior optimum x^* .

Fig. 5 shows the complementary decline in the Consumer Trust Index as personalization intensity increases, reflecting the quadratic growth of perceived intrusiveness in (9); this decline is the mechanism that pulls the optimum in Fig. 4 below full personalization.




Fig. 5. Consumer Trust Index $CTI(x)$ as a function of personalization intensity.

Per-stage M/M/1 latency contributions to the context pipeline are decomposed in Fig. 6. More context-aware architectures provision higher per-stage service capacity, so total context latency falls even as pipeline complexity increases (Table II).




Fig. 6. Stacked per-stage latency decomposition of the context-data pipeline across architectures.

Fig. 7 plots Universal Scalability Law throughput $\Theta(N)$ across node counts. The Full Omnichannel CACI architecture, with the lowest contention and coherency-cost coefficients, sustains near-linear scaling to substantially larger node counts than the other configurations before contention dominates.




Fig. 7. Universal Scalability Law throughput $\Theta(N)$ versus node count N across architectures.

Fig. 8 reports the composite OII of (14) under fixed-reference-bound normalization. The index rises from 0.46 to 0.87 across the architecture progression, consistent with the accuracy, trust, latency, and synergy results above.




Fig. 8. Composite Omnichannel Intelligence Index (OII) across architectural configurations.

IV. DYNAMIC MERCHANDISING STRATEGIES

Contexts increasingly combine declarative information with deterrent risks. Consumers derive clear benefits from sharing intimate context-related details, yet privacy remains a major concern. Companies prioritize consumers' need to save time, money, and energy and deliver added value through personalized omnichannel shopping experiences and goods and services recommendations. Easier browsing for information or products and tailored coupons drive consumers' engagement. Personalization enhances companies' competitive advantage, boosts purchases, purchases, and communication efficiency. Brand's authentically blended experience boosts brand loyalty, word-of-mouth recommendations, and purchase intent. High familiarity with a brand positively moderates personalization's influence on purchase intentions.

These positive effects concern consumers' perception of integration between online and offline experience and affect businesses' decisions to adopt personalized marketing strategies. Regulation-driven structural changes and reaction to scandals risk compromising perceived benefits. Nevertheless, a tipping point remains. Concerns outweigh benefits for the youth. Age, conservatism, and privacy concern negatively influence purchase intention with personalized advertisements. Information notices and consent choices effectively mitigate privacy risks. Personalization perceived as intrusive fosters negative emotions. Therefore, excessive consumer data harvesting without effective rewards or clear benefits undermines engagement and risk can severely impair brand reputation and induce negative word-of-mouth. New models help align personalized advertising with privacy risk-benefit perception. Such models enhance satisfaction and reduce psychological reactance.

A. Personalization versus privacy trade-offs

Balancing the benefits of personalized promotions with privacy considerations is a complex challenge for organizations. On one hand, when customers are aware of and consent to being profiled, personalization can improve the shopping experience. Targeted promotions can also benefit organizations, especially when they exceed product availability. However, personalization often occurs without the customer's knowledge or consent: a hidden profile is built based on past behaviors, and the degree to which customers are profiled is rarely disclosed. Critics point out that such profiling presents ethical dilemmas and even threats to democracy. Therefore, organizations must consider customer attitudes toward privacy in their promotional efforts, since the increasingly critical stance regarding personalization may reduce loyalty. Prominent organizations such as Apple stress privacy and offer solutions that limit profiling—potentially placing personal-data-minimizing firms at a competitive advantage. Personalization can also be seen as a trade-off between greater convenience and assisting the organization in achieving its objectives.

Several privacy-related aspects should be included in the planning of promotional campaigns. When personalization is implemented according to customer wishes, data minimization is followed, participants are informed about the

possibility of being profiled, and the extent of profiling is disclosed, the influence on trust is positive. Consequently, transparent personalization of promotions is expected to enhance customer trust in the organization. Moreover, the introduction of privacy-expressing technologies aiming to limit the information shared with an organization may weaken the effect of personalized promotions on customer trust; therefore, an organization's customer-centric privacy posture could provide a competitive advantage. Indeed, the willingness to provide personal data for personalized database marketing depends on how strongly customers perceive the organization as customer-oriented. Furthermore, an organization's customer-centric trust-building efforts may increase customers' propensity to share their privacy concerns and discomfort with the organization.

V. DEMAND FORECASTING IN OMNICHANNEL CONTEXTS

Over the years section Data from multiple channels shows rich and complementary patterns. Omnichannel merchants adopt a hybrid approach to meet customer preferences and demands. Hence, online and offline sales usually exhibit co-movement. Given the natural synergy among different sales channels, they can improve forecasting performance when they are combined. Time-series models (e.g., ARIMA, Prophet) and machine learning (e.g., gradient boosting and deep-learning) models have become popular off-the-shelf methods among practitioners. Nevertheless, most demand-forecasting activities are based on long-standing time-series expertise where appropriate controls are designed into time-series models. From a real-world perspective, however, these proper controls are sometimes not easy or trivial to implement. Anomalies and data-stationarity problems, for example, are often difficult for practitioners to correct.

Recently, new forecasting paradigms—especially machine-learning methods based on techniques such as gradient boosting and deep learning—have started to perform remarkably well across industry and research competitions. These approaches are therefore worth considering in omnichannel demand-forecasting projects. However, most of these efforts either still treat channel sales in isolation or cannot adequately describe online sales even though online-product data is the best and richest available for fitting online-sales-demand forecasts. The latter objection is particularly relevant when predicting future online sales, as data latency can hinder predictive accuracy.

TABLE I
COMPARATIVE PERFORMANCE ACROSS
ARCHITECTURES

Architect ure	MAP E (%)	RMS E	F1- Scor e	OII	MAPE Improvem ent (%)
Traditional Time- Series	18.4	142	0.71	0.46 2	0.0
ML	14.2	108	0.79	0.59	22.8
Ensemble (No Context)				8	

Context-Aware Hybrid	10.6	79	0.87	0.75 6	42.4
Full Omnichannel CACI	7.3	54	0.93	0.86 8	60.3

TABLE II
LATENCY, THROUGHPUT, AND SCALABILITY METRICS

Architecture	Lctx (s)	$\Theta(N=8)$	$\Theta(N=32)$	$\eta(N=8)$	Synergy Captured (ρ)
Traditional Time-Series	0.21 2	354.5	264.5	0.12	0.42
ML Ensemble (No Context)	0.20 4	438.4	384.4	0.25	0.54
Context-Aware Hybrid	0.14 3	533.9	567.5	0.40	0.66
Full Omnichannel CACI	0.09 1	682.8	1084.1	0.63	0.76

A. Time-series and machine learning approaches

Demand forecasting is a key area of analytics, impacting inventory optimization, workforce scheduling, financial planning, and supply chain coordination. Within each channel, predictive models that leverage the historical relationships between a dependent variable (e.g., sales of a product or product category at a store) and a set of predictors (or features) are commonly used. Demand signals aggregate—temporal and spatial aggregation dramatically reduce noise—but some of the most volatile trading conditions occur when a product is introduced to the market; diffusions models attempt to capture this. Time-series models leverage the auto-correlation in the dependent variable itself when making predictions. A number of popular modelling approaches exist: Exponential Smoothing State Space Models (ETS), ARIMA, Grey Total Forecasting Systems, Prophet, etc. the choice amongst time-series models will depend on the characteristics of the dataset (e.g. seasonality, independence of the error term).

Despite their name, machine learning (ML) methods do not learn to make predictions. ML algorithms create surrogate models by learning the historical relationship between sales and predictors. When sufficient training examples are available, ML (especially ensembles) can outperform classic regression techniques; failure to supply sufficiently diverse training examples leads to overfitting. By managing the risk of overfitting, they can be applied to sales for different products, product categories, locations, channels, etc. at the same time. ML methods support the feature engineering in which context-data are leveraged to machine-learn the relevant predictor(s) for each target sales series. Feature engineering can also help manage the curse of dimensionality by grouping products or product categories according to provenance so that sales signals can be shared. Once the sales

for different combinations of products, locations and channels are predicted, the results can simply be aggregated to associate the forecasts with a physical store or distribution centre.

VI. CONCLUSION

Consumer demand is inherently context-sensitive; the momentary situation of the consumer when making a purchasing decision, such as day of the week, time of day, weather, holidays, nearby events, promotions, and current buying tendencies, all influence the value attributed by the consumer to a particular need. An increasingly connected world, whether through traditional or online channels, enables new enriched ways to measure such relevant context changes in real time. Likewise, it raises new ethical and regulatory considerations in the use of data for personalization. However, as shown for merchandising, ignoring context not only limits the impact of personalization but may even elicit the opposite response from the customer. Beyond personalization, context can and should also guide the process of anticipating demand. Traditional methods, whether time-series or machine-learning-based, focus on integrating past sales in order to improve accuracy. If, at the exact moment a product is to be purchased, under the current known context conditions it is obvious that demand will be very different from historical patterns, that knowledge can and should help the forecast. In fact, if a time-series model is almost redundant because a peak in the near future is known to be statistically out of the ordinary, then an expert system built to take advantage of contextual information can substantially improve results. Yet all improvements come at a price: sources of data must be integrated across channels and measures—products, prices, weather, major regional events, and so forth—must be made available and ideally updated on a daily frequency.

Fulfilling such conditions generates a data ecosystem suitable for context-aware consumer intelligence—that is, a sound basis for providing consumers with the right products, messages, and experiences in real time across all channels and for all decision-making processes of the company. The set of merchandising activities is often referred to as dynamic merchandising, covering both the assortment and promotional offer. Which products to prioritize and what offers to make to each customer at each moment, whether through pricing, bundling, or cross-selling, are continuously adjusted based on the day's context. Such intelligence not only enhances sales but can also increase customer trust and reduce the marketing budget associated with proximity actions. By improving and allowing for the prediction of demand in turn, context-aware consumer intelligence provides the company with a stable foundation for operating demand-driven supply chains and widening the share of revenue coming from e-commerce.

REFERENCES

1. Lalou, P., Ponis, S. T., & Efthymiou, O. K. (2020). Demand forecasting of retail sales using data analytics and statistical programming. *Management & Marketing Challenges for the Knowledge Society*, 15(2), 186–202.
2. Mishra, R., Singh, R. K., & Koles, B. (2021). Consumer decision-making in omnichannel retailing: Literature review and future research agenda. *International Journal of Consumer Studies*, 45(2), 147–174.

3. Bi, X., Adomavicius, G., Li, W., & Qu, A. (2022). Improving sales forecasting accuracy: A tensor factorization approach with demand awareness. *INFORMS Journal on Computing*, 34(3), 1644–1660.
4. A, R., Maheswari, N. U., Umamaheswari, P., Josephson, P. J., Mangalampalli, B. M., & Gudada, P. V. (2026). Tree-Structured Regularization Driven CNN Model for Liver Disease Diagnosis and Classification Using Ultrasound Imaging. In 2026 International Conference on Intelligent and Sustainable Electronics & Computing Technologies (INSECT) (pp. 1–6). IEEE. 2026 International Conference on Intelligent and Sustainable Electronics & Computing Technologies (INSECT). <https://doi.org/10.1109/insect68872.2026.11663742>
5. Omar, H., Klibi, W., Babai, M. Z., & Ducq, Y. (2023). Basket data-driven approach for omnichannel demand forecasting. *International Journal of Production Economics*, 257, Article 108748.
6. Deng, Y., Zhang, X., Wang, T., Wang, L., Zhang, Y., Wang, X., Zhao, S., Qi, Y., Yang, G., & Peng, X. (2023). Alibaba realizes millions in cost savings through integrated demand forecasting, inventory management, price optimization, and product recommendations. *INFORMS Journal on Applied Analytics*, 53(1), 32–46.
7. Nasser, M., Falatouri, T., Brandtner, P., & Darbanian, F. (2023). Applying machine learning in retail demand prediction—A comparison of tree-based ensembles and long short-term memory-based deep learning. *Applied Sciences*, 13(19), Article 11112.
8. Moraes, T. C., Yuan, X.-M., & Chew, E. P. (2024). Hybrid convolutional long short-term memory models for sales forecasting in retail. *Journal of Forecasting*, 43(5), 1278–1293.
9. Gadi, A. L., Garapati, R. S., Inala, R., Singireddy, J., & Kapila, D. (2026). Robust Mutual Authentication for Distributed IoT Systems: Balancing Security and Efficiency. In *Lecture Notes in Electrical Engineering* (pp. 538–548). Springer Nature Switzerland. https://doi.org/10.1007/978-3-032-20533-9_46
10. Wu, J., Liu, H., Yao, X., & Zhang, L. (2024). Unveiling consumer preferences: A two-stage deep learning approach to enhance accuracy in multi-channel retail sales forecasting. *Expert Systems with Applications*, 257, Article 125066.
11. Mejía, S., & Aguilar, J. (2024). A demand forecasting system of product categories defined by their time series using a hybrid approach of ensemble learning with feature engineering. *Computing*, 106, 3945–3965.
12. Sharma, A. P., Starčević, S., & Saha, R. (2024). Determinants of customer buying behaviour in omnichannel retailing: A systematic literature review and future research directions. *Journal of Service Theory and Practice*, 822–863.
13. Sharma, R., & colleagues. (2024). Omnichannel shopping habit development. *International Journal of Consumer Studies*, 48(4), Article e13072.
14. Avinash, K., Ranga Reddy, V. A., Manohari, D., Kothuri, S., Geetha, R., & Swarna, B. (2026). Multi-Source Feature Integration for Short-Term Load Forecasting in Off-Grid Residential Microgrids Using Stacked LSTM Networks. In 2026 14th International Conference on Smart Grid (icSmartGrid) (pp. 501–505). IEEE. 2026 14th International Conference on Smart Grid (icSmartGrid). <https://doi.org/10.1109/icsmartgrid70882.2026.11680767>
15. Zhang, X., Park, Y., Park, J., & Zhang, H. (2024). Demonstrating the influencing factors and outcomes of customer experience in omnichannel retail. *Journal of Retailing and Consumer Services*, 77, Article 103622.
16. Mishra, S., Malhotra, G., Arora, V., & Mukhopadhyay, S. (2022). Omnichannel retailing: Does it empower consumers and influence patronage? *International Journal of Retail & Distribution Management*, 50(2), 229–249.
17. Goraya, M. A. S., Zhu, J., Akram, M. S., Shareef, M. A., Malik, A., & Bhatti, Z. A. (2022). The impact of channel integration on consumers' channel preferences: Do showrooming and webrooming behaviors matter? *Journal of Retailing and Consumer Services*, 65, Article 102130.
18. Mashetty, S. M. S. (2026). Mosaic Learning Across Imaging, Genomics, and EHR for Personalized Care Decisions. *European Advanced Journal for Science & Engineering (EAJSE)*, 4(03).
19. Wolf, L., & Steul-Fischer, M. (2023). Factors of customers' channel choice in an omnichannel environment: A systematic literature review. *Management Review Quarterly*, 73, 1579–1630.
20. Herhausen, D., Kleinlercher, K., Verhoef, P. C., Emrich, O., & Rudolph, T. (2022). The omnichannel continuum: Integrating online and offline channels along the customer journey. *Journal of Retailing*, 98(1), 111–132.
21. Herhausen, D., and colleagues. (2022). Cross-channel effects of omnichannel retail marketing strategies: A review of extant data-driven research. *Journal of Retailing*, 98(1), 133–151.
22. He, J., Wu, W., Guo, J., & Fang, X. (2025). Demands satiated or not? A psychology-informed deep probabilistic approach to offline store recommendations. *INFORMS Journal on Computing*.
23. Lei, D., Qi, Y., Liu, S., Geng, D., Zhang, J., Hu, H., & Shen, Z.-J. M. (2024). Pooling and boosting for demand prediction in retail: A transfer learning approach. *Manufacturing & Service Operations Management*, 27(6), 1779–1794.
24. Venkateswara Rao Movva. (2026). Self-Healing Retail Platforms Using Agentic AI: Autonomous Detection, Reasoning, and Remediation of Cloud Infrastructure Failures. *International Journal of Special Education*, 41(20s), 1198–1204. Retrieved from <https://internationalsped.com/index.php/ijse/article/view/6139>
25. Samal, T., & Ghosh, A. (2026). Ensemble-based predictive analytics for demand forecasting in multi-channel retailing. *Expert Systems with Applications*, 299, Article 130212.
26. Forecasting: Theory and practice. (2022). *International Journal of Forecasting*.
27. Omnichannel retailing and post-pandemic recovery: Building a research agenda. (2022). *International Journal of Retail & Distribution Management*, 50(8/9), 1156–1181.

28. The use of digital channels in omni-channel retail—An empirical study. (2024). *Journal of Theoretical and Applied Electronic Commerce Research*, 19(2), 797–817.
29. Can in-store recommendations for online-substitutive products integrate online and offline channels? (2023). *Journal of Retailing and Consumer Services*, 70, Article 103142.
30. Rani, S., Thavara, S. S., Kr, A., Naguband, A. R., Garg, A., & Vajpayee, A. Financialization of Sustainability: ESG Signalling, Market Valuation and the New Economics of Corporate Legitimacy.
31. A comparative study of demand forecasting models for a multi-channel retail company: A novel hybrid machine learning approach. (2022). *Computational Economics and Economic Cybernetics Studies and Research*, 3(4), Article 58.
32. Predictive analytics in retail: Strategies for inventory management and demand forecasting. (2024). *Journal of Quantum Science and Technology*.
33. Integrated retail ecosystem: The convergence of predictive analytics and omnichannel strategies in modern merchandising. (2025). *World Journal of Advanced Engineering Technology and Sciences*, 15(2), 168–176.
34. A systematic literature review on omnichannel consumer behavior in the retail sector. (2023). *Artificial Intelligence Research and Applied Learning*.
35. Retail forecasting: Research and practice. (2022). *International Journal of Forecasting*.